

Correction

Correction to: Measurement of the Body Physical Parameters by Bioelectrical Impedance Method in Individuals Survived after Covid-19

Cemil Sert¹ , Yasin Gokce¹ , Serif Kurtulus² ¹Harran University Faculty of Medicine, Department of Biophysics, Sanliurfa, Türkiye²Harran University Faculty of Medicine, Department of Chest Diseases, Sanliurfa, Türkiye

Published Online: 2025-12-16

Correspondence

Cemil Sert

E-mail: csert@harran.edu.tr

Measurement of the Body Physical Parameters by Bioelectrical Impedance Method in Individuals Survived after Covid-19 Published in: European Journal of Therapeutics, Volume 29, Issue 1, 2023 DOI: 10.58600/eurjther-136

The authors have identified an error regarding the “Ethics Committee Approval” information in the above-mentioned article. In the original version of the paper, the ethics committee details were incorrectly stated.

Incorrect Statement: “Ethical statement: This study was approved by Gaziantep University Medical School Medical Ethics Committee with the decision numbered 2016/276 (Date: 17 October 2016, Protocol Number: 276) and supported by Gaziantep University Scientific Research Projects Unit (TF.DT.17.11).”

Corrected Statement: “Ethical statement: This study was approved by the Harran University Faculty of Medicine Ethics Committee with decision number 16.08.2021/21.14.09 and supported by the Harran University Scientific Research Projects Coordination Board.”

This correction is issued to maintain the integrity of the publication record and to provide readers with the most accurate information. The original article will be permanently linked to this correction notice.

You may access the updated article via the link below:

<https://doi.org/10.58600/eurjther-136>

Publisher’s Note: The original article has been corrected to reflect the accurate information, and this correction notice has been added for transparency.

© 2025. The copyright of this article is retained by the author(s).

OPEN  ACCESS

This work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).

This license permits the free sharing and adaptation of the work for non-commercial purposes, provided that appropriate attribution is given to the original author(s) and to its initial publication in this journal.